

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 4175-1080:105 Page 1 of 1

**CATEGORY:** Roof Covering (Miscellaneous)

**LISTEE:** Resin Technology, 2270 Castle Harbor Place, Ontario, CA 91761  
Contact: \*Rick Gutman (909) 947-7224 Fax (909) 923-9617

**DESIGN:** Models RT-2031 spray applied foam; Models PERMAX 108, PERMAX 115, PERMAX 1000, and PERMAX 2000 coatings for use in roofing systems. Refer to listee's data sheet and 1999 UL Directory-Roofing Materials and System for detailed product description, construction and operational considerations.

**RATING:** Class A and Class B  
Spray Applied Foam and Coating Systems  
Maintenance and Repair Systems  
Combustible C-15/32 and Non Combustible Deck  
Incline: 1/2", 1", 2", 3", 4"

**INSTALLATION:** In accordance with listee's printed installation instructions, 2001 UL Roofing Materials and Systems Directory, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, product designation and UL label.

**APPROVAL:** Listed as a Class A and B roof covering systems when constructed in accordance with the 2001 UL Roofing Materials and Systems Directory.

\*Rev. 06-21-2003



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 21, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND, Senior Deputy**  
*Program Manager*